

40



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,721	06/26/2003	Paul Ashmore	GB920020024US1	6919
29683	7590	07/14/2005	EXAMINER	
HARRINGTON & SMITH, LLP 4 RESEARCH DRIVE SHELTON, CT 06484-6212			PATEL, HETUL B	
			ART UNIT	PAPER NUMBER
			2186	

DATE MAILED: 07/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/608,721

Applicant(s)

ASHMORE ET AL.

Examiner

Hetul Patel

Art Unit

2186

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 June 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 June 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 09/02/2003.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. This Office Action is in response to the preliminary amendment filed on 06/26/2003. Claims 1-31 are presented for examination.
2. The IDS filed on 09/02/2003 has been received and carefully considered.

Drawings

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the features (i.e. hardware components) of claims 11, 16, 18-19, 22 and 26-31 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New

Art Unit: 2186

Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

4. Claims 1-10, 13-15, 20-21, 23-24 and 29 are rejected under 35 U.S.C. 102(a) as being anticipated by the 'Background of the Invention' section of the current application, hereinafter, BOI.

As per claim 1, BOI teaches a computer program product stored on a computer readable storage medium for maintaining data access during failure of a first controller in a multiple controller storage subsystem, the storage subsystem having an array of data storage devices (i.e. RAID) and at least one other controller for managing the data storage, comprising computer readable program code for performing: saving internal state information by the first controller; pausing operation of the at least one other controller; the at least one other controller for saving internal state information at the time of pausing; and continuing operation of the at least one other controller (e.g. see paragraph [0007]).

As per claims 20, 23 and 24, see arguments with respect to the rejection of claim 1. Claims 20, 23 and 24 are also rejected based on the same rationale as the rejection of claim 1.

As per claim 2, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller detects an error (i.e. a problem) in the first controller, which triggers the saving of the internal state information (i.e. by performing a state save step) (e.g. see paragraph [0007]).

As per claim 3, BOI teaches the claimed invention as described above and furthermore, BOI teaches that a host computer issues a transaction to the first controller which causes the first controller to save its internal state information (i.e. storing controller internal state information at the time of the error at a predetermined location) (e.g. see paragraph [0006]).

As per claim 4, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller resets after saving its internal state information (i.e. storing controller internal state information at the time of the error at a predetermined location before it resets itself) (e.g. see paragraph [0006]).

As per claim 5, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller instructs the at least one other controller (i.e. sends message to all other controllers) to save the at least one other controller's internal state information and the at least one other controller pauses operation, saves internal state information at the time of pausing, and continues

operation (i.e. all other controllers do a state save before resetting to recover) (e.g. see paragraph [0007]).

As per claim 6, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the at least one other controller (i.e. sends message to all other controllers) pauses operation, saves internal state information at the time of pausing, and continues operation (i.e. all other controllers do a state save before resetting to recover) when the at least one other controller detects a loss of the first controller (i.e. when detects a problem in the first controller) (e.g. see paragraph [0007]).

As per claims 7 and 13, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller and the at least one other controller save their internal state information (i.e. including a subset of the internal state information) to a storage location (i.e. to a predetermined location) in each controller (e.g. see paragraphs [0006] and [0007]).

As per claims 8 and 10, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller and the at least one other controller save their internal state information to the storage devices, i.e. including at least one storage device (i.e. the physical disk(s)) (e.g. see paragraph [0007]).

As per claim 9, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the first controller instructs the at least one other controller to transfer internal state information to the first controller, i.e. other controllers dumps the info to the first controller (e.g. see the paragraph [0007]).

As per claim 14, BOI teaches the claimed invention as described above and furthermore, BOI teaches that the internal state information saved by the at least one other controller is determined by an instruction received from the first controller (e.g. see the paragraph [0007]).

As per claim 15, BOI teaches the claimed invention as described above and furthermore, BOI teaches that problem analysis regarding an error in the first controller is carried out on the saved internal state information, i.e. the saved internal state information is used to solve the defect in the first controller (e.g. see the paragraphs [0007]-[0009]).

As per claim 21, BOI teaches the claimed invention as described above. The further step of retrieving the internal state info stored in the at least one storage device is inherently embedded in the storage subsystem taught by BOI. The internal state information have to be retrieved from the storage device so if one or more of the controllers fail(s), the other controller(s) can use the retrieved state information of the failed controller(s) in order for not to render the system inoperative or any of the data stored in the system inaccessible.

As per claim 29, BOI teaches the claimed invention as described above. The further limitation of having a processor in each of the first controller and the at least one other controller is inherently embedded in the storage subsystem taught by BOI. Every controller has to have a processor/cpu in it to function. The Examiner would like to introduce Oldfield et al. (USPN: 2002/0133743) as an extrinsic evidence to show that each controller comprises a processor (e.g. see 54 and 60 Fig. 1).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 11 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over BOI.

As per claims 11 and 28, BOI teaches the claimed invention as described above, but does not clearly teach that the first controller and the at least one other controller are combined on a single circuit card. Official notice is taken of the prior art teaching a plurality of controllers on a single circuit card. First of all, it has been held that to make integral is not generally given patentable weight. Note *In re Larson* 144 USPQ 347 (CCPA 1965). Furthermore *In re Tomoyuki Kohno* 157 USPQ 275 (CCPA 1968) states that to integrate electrical components onto a unitary, one-piece structure would be obvious. Mounting multiple controllers on a single circuit cards reduces cabling problems, reduces latency required for communicating among controllers, improves efficiency of message passing, reduces card-to-card communications costs, area saving and high speed data transfer between the elements and leads to further power efficiency and increased scalability. Because multiple controllers mounted on a single circuit card provides improvements in efficiency, cost and scalability over controllers mounted on separate circuit cards, it would have been obvious to use a single circuit

Art Unit: 2186

card in the device of BOI. Therefore, the claimed invention would have been obvious to one of ordinary skill in the art at the time of the invention.

6. Claims 16-17, 22, 25 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over BOI in view of Otterness et al. (USPN: 6,601,138) hereinafter, Otterness.

As per claims 16, 25 and 30, BOI teaches the claimed invention as described above but failed to teach that the storage subsystem comprises a Fibre Channel Arbitrated Loop system and the at least one other controller comprises a host bus adapter. Otterness, however, discloses that the storage subsystem comprises a high-speed channel, such as, fibre channel (FC-AL), SCSI and memory interconnect, as communication path connected directly between controllers and the at least one other controller comprises a host bus adapter (HBA) (e.g. Col. 7, line 62 –Col. 8, line 2 and claim 1). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement Otterness's FC-AL and HBA in the storage subsystem taught by BOI so the controllers can communicate between each other at high-speed using the high-speed channel.

As per claim 17, the combination of BOI and Otterness teaches the claimed invention as described above and furthermore, BOI teaches that upon detection of a problem in the first controller, it sends a stop message to all other controllers, i.e. it will also disable the interrupts on the other controllers (e.g. see paragraph [0007]).

As per claim 22, BOI teaches the claimed invention as described above.

However, BOI failed to teach that the first controller and the at least one other controller share a single memory. Otterness, on the other hand, teaches about using a shared-memory controller so the tokens can be dynamically distributed to be executed by the memory controllers (e.g. see Col. 3, lines 5-11). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement Otterness' shared-memory controller, i.e. sharing a single memory between memory controllers, in the storage subsystem taught by BOI so a failure of one or more of the controllers does not render the system inoperative or any of the data stored in the system inaccessible.

7. Claims 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over BOI in view of Otterness, further in view of Skazinski et al. (USPN: 6,574,790) hereinafter, Skazinski.

As per claim 18, the combination of BOI and Otterness teaches the claimed invention as described above. However, none of them clearly teach about setting a flag to prevent overlapping saves of internal state information in that adapter. Skazinski teaches that using alternate flag (see line 8, Table 6) which is set to equal to true ("1"), to indicate that an alternate mirror entry 6000 is being used to perform the present mirror cache operation to prevent the problems with respect to mirror operation overlap (e.g. see Col. 22, lines 40-47). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement

Art Unit: 2186

Skazinski's step of setting the flag in the system taught by BOI and Otterness to avoid overlapping saves of internal state information in that adapter.

8. Claims 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over BOI in view of Otterness, further in view of Mason, JR. et al. (USPN: 2003/0135674) hereinafter, Mason.

As per claim 19, the combination of BOI and Otterness teaches the claimed invention as described above. However, none of them clearly teach that the host bus adapter saves information relating to an interface chip. Mason, on the other hand, teaches that the interface chip is implemented on the host bus adapter, i.e. saving information relating to an interface chip on the host adapter (e.g. see paragraph [0064] and Fig. 3). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to modify the storage subsystem taught by the combination of BOI and Otterness by implementing the interface chip on the host adapter, i.e. saving info relating to the interface chip on the host adapter as taught by Mason. In doing so, the state information of interface chip will automatically get stored in the host adapter and does not need to transfer it during error scenarios.

9. Claims 12, 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over BOI in view of Oldfield et al. (USPN: 2002/0133743) hereinafter, Oldfield.

As per claim 12, BOI teaches the claimed invention as described above but failed to teach the further limitation of saving external memory data, in addition to the internal

Art Unit: 2186

state information by at least one of the first controller and the at least one other controller. Oldfield, on the other hand, discloses about saving the external memory data, i.e. the mirrored memory data in at least one of the first controller and the at least one other controller (e.g. see paragraph [0035] on page 3). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement Oldfield's teachings in the storage subsystem taught by BOI. In doing so, in the first controller fails, the at least one other controller can take over the responsibilities of the first controller without affecting the functionality of the subsystem. Therefore, it is being advantageous.

As per claim 26, BOI teaches the claimed invention as described above but failed to teach that at least one of the first controller and the at least one other controller comprises a memory buffer. Oldfield, however, teaches that each controller comprises a memory buffer (i.e. 138 and 178 in Fig. 4). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the memory buffer as taught by Oldfield in the storage subsystem taught by BOI so predefined background tasks can be processed without interrupting the processing of system operation commands via system operation processor (e.g. see paragraph [0043]).

As per claim 27, BOI teaches the claimed invention as described above but failed to teach the further limitation of sharing an external memory by the controller and the at least one other controller. Oldfield, on the other hand, teaches that the controller and the at least one other controller shares an external memory (e.g. see paragraph [0051]).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement Oldfield's teachings in the storage subsystem taught by BOI so the memory self-test can be performed upon the insertion of the controller.

10. Claim 31 is rejected under 35 U.S.C. 102(a) as being anticipated by DeKoning et al. (USPN: 5,933,824) hereinafter, DeKoning in view of BOI.

As per claim 31, DeKoning teaches a Fibre Channel Arbitrated Loop (FC-AL) storage system (shown in Fig. 2) comprising a first set of disk drives (208.1 in Fig. 2) connected to a first set of loops (150.1 in Fig. 2), and a second set of disk drives (208.2 in Fig. 2) redundant with the first set of disk drives and connected to a second set of loops (150.2 in Fig. 2); wherein a first adapter (202.1 in Fig. 2) is connected to the first set of loops and a second adapter (202.2 in Fig. 2) is connected to the second set of loops. However, DeKoning failed to teach that each adapter being adapted for issuing a command to the other adapter to save internal status data and each adapter adapted for saving internal status data and resetting. BOI, on the other hand, teaches that in case if a controller (adapter) detects a problem, it sends a stop message to all other controllers (adapters); all other controllers saves their internal states and resets before recovering (e.g. see paragraph [0007]). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the teachings of BOI in the FC-AL storage system taught by DeKoning so the recovery

Art Unit: 2186

action can be performed on the failed adapter without losing the data of the other adapters.

Conclusion


11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hetul Patel whose telephone number is 571-272-4184. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on 571-272-4182. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HBP
HBP


MATTHEW KIM
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER - 2100